



MANGO

| General Details | |
|---|---|
| Reference | https://biophilia.lk/database/plant/mango |
| Scientific Name | Mangifera indica |
| Sinhala Name | ???????? (KARATHAKOLOMBAN) |
| Tamil Name | ?? ???? (MA MARAM) |
| Other Common Names | |
| Plant Family | Anacardiaceae |
| Plant Group | Angiosperms (Enclosed Seed) |
| Morphologies / Crown Architecture | Spreading Canopy |

| | Bird Attractive Plants |
|----------------|-------------------------------|
| | Canopy plants |
| | Common Landscaping Plants |
| | Cooking Plants |
| | Courtyard Plants |
| | Dark Green Plants |
| | Dry Zone Plants |
| | Edible Plants |
| | Flowering Plants |
| | Fruiting Plants |
| | Intermediate Zone Plants |
| Categories | Large Trees |
| | Low Maintenance Plants |
| | Medium Size Trees |
| | Ornamental Plants |
| | Parking Area Plants |
| | Roadside Plants |
| | Seasonal Plant |
| | Shady Plants |
| | Fast Growing Plants |
| | Wood Value Plants |
| | Evergreen Plants |
| | Suitable for Hotel Landscapes |
| Native Regions | Indian Subcontinent |

| Distributions | India Myanmar Indo-Malesia Region |
|-----------------------|-----------------------------------|
| Elevation | Above sea level and below 500 m |
| Average Height | 12.00 - 30.00 m |
| Maximum Height | 40.00 |
| Average Width | 30.00 - 38.00 m |
| Maximum Width | 40.00 |
| Propagations | By Seeds By Grafting |
| Average Longevity | 300 years |
| Maturity Longevity | 5 years |
| Indoor | N/A |
| Medicinal Use | Yes |

PARTS USED IN TREATMENT

- Bark
- Leaves
- Flowers
- Fruits
- Flesh of the seed

MedicinalValue

Treatment for

- Constipation
- Swellings
- Fevers
- Endometritis

RELATED MEDICINAL PROPERTIES

- Helps to keep heart healthy
- Purifies blood

Growth Rate: Fast **Maintenance:** Medium

Leaf: Evergreen

Leaves: simple, alternate, spiral, clustered at twig ends; petiole 1.2-6.2 cm long, swollen at base, planoconvex in cross section; lamina 8-25 x 1.7-6 cm, narrow oblong-elliptic or lanceolate, apex gradually acuminate, base acute to attenuate, margin slightly undulate, sub coriaceous, glabrous; midrib raised above; secondary nerves many, nearly straight or gradually curved 28 to 30 pairs; tertiary nerves reticulate. Inflorescence

Flowers: Inflorescence terminal panicle; flowers polygamous, radially symmetrical. Usually only 1 fertile stamen per flower; 4 other stamens are sterile. Each flower has a conspicuous 5-lobed disk between the petals and stamens.

Bloom Color: Greenish white **Bloom Time:** January to March

Description

Fruit: Irregularly egg-shaped and slightly compressed fleshy drupe, 8-12 (-30) cmlong, attached at the broadest end on a pendulous stalk. Skin smooth greenish-yellow, sometimes tinged with red. Underlying yellow-orange flesh varies in quality from soft, sweet, juicy and fiber-free in high-quality selected (clonal) varieties to turpentine-flavored and fibrous in unselected (wild) seedlings. Individual fruits can be round, oval, heart-shaped, or kidney-shaped; and can weigh as little as a few ounces or as much as five pounds. The soft pulp is juicy and sweet, although it can sometimes has an acid overtone. At its best, mangoes have a pleasant resinous quality, but at its worst can smell like kerosene.

Fruiting Time: July to August

Seed: The single, large, inedible compressed-ovoid seed is 3.5-20 cm long and encased in the white fibrous inner layer of the fruit.

Trunk (bole): Long bole can be 60 - 120cm in diameter

Habitat: A mid-canopy tree in humid tropical forests, usually growing in the more open, secondary formations.

Habit: Evergreen Tree

| Foliage | | |
|---------------------|---------------------------|--|
| Leaf Shape | Elliptic Shape | |
| Leaf Arrangement | Opposite leaf arrangement | |
| Flowering | | |
| Is Flowering ? | Yes | |
| Fruiting | | |

| Bears Fruits ? | Yes | |
|---|---|--|
| Maintenance | | |
| Soil Types | Loam Soil Slightly Acidic (pH 6.1 - 6.5) | |
| Water | Medium/Moderate | |
| Sunlight | Full | |
| Humidity | High | |
| Edibility | | |
| Is Edible ? | N/A | |
| Legal Status | | |
| Flora Fauna Protection Ordinance 2009 Amendment, Sri Lanka | Not Evaluated | |